

## CLAIMS

What is claimed is:

- 1     1.     A method of building a custom software configuration, comprising:  
2           receiving a plurality of requests for desired software configurations;  
3           identifying at least one baseline configuration corresponding to the desired  
4           software configurations;  
5           comparing the at least one baseline configuration with the desired software  
6           configurations;  
7           creating a set of changes based on the comparison wherein the set of changes  
8           are suitable for combining with the baseline configuration to generate  
9           the desired software configuration, and  
10          storing the at least one baseline configuration and set of changes on a  
11          removable medium, the removable medium suitable for loading a  
12          plurality of desired software configurations corresponding to the  
13          requested plurality of desired software configurations.
- 1     2.     The method as described in claim 1, wherein the plurality of requests for  
2           desired software configurations correspond to at least one of a first software  
3           component, a second software component, a first hardware component and a  
4           second hardware component, wherein at least one of the first hardware  
5           component is different from the second hardware component and the first  
6           software component is different from the second software component.
- 1     3.     The method as described in claim 1, wherein the removable medium includes  
2           at least one of a compact disk read-only-memory (CD-ROM), digital versatile  
3           disc (DVD), PC Card for utilization in a PC slot, floppy disk, floppy/optical  
4           disk for use in a floppy/optical drive, zip disk for use in a zip drive, and tape  
5           for use in a tape drive.

- 6 4. The method as described in claim 1, wherein at least one of the baseline  
7 configuration and set of changes are identified through the use of a  
8 configuration ID.
- 1 5. The method as described in claim 1, wherein the plurality of requests are  
2 grouped.

FOR OFFICIAL USE ONLY

- 1     6.     A method of building a custom software configuration, comprising:  
2           receiving a first request for a first desired software configuration and a second  
3           request for a second desired software configuration, the first desired  
4           software configuration being different than the second desired  
5           software configuration;  
6           identifying at least one software configuration corresponding to at least one of  
7           the first desired software configuration and the second desired  
8           software configuration, wherein the at least one software configuration  
9           is suitable for generating the first desired software configuration and  
10          the second desired software configuration, and  
11          storing the software configuration on a removable medium, the removable  
12          medium suitable for loading the first desired software configuration  
13          and the second desired software configuration.  
14  
15     7.     The method as described in claim 6, wherein the first request for a first  
16           desired software configuration includes least one of a first software  
17           component and a first hardware component and the second request for a  
18           second desired software configuration includes at least one of a second  
19           software component and a second hardware component, wherein at least one  
20           of the first hardware component is different from the second hardware  
21           component and the first software component is different from the second  
22           software component.  
  
1     8.     The method as described in claim 6, wherein the removable medium includes  
2           at least one of a compact disk read-only-memory (CD-ROM), digital versatile  
3           disc (DVD), PC Card for utilization in a PC slot, floppy disk, floppy/optical  
4           disk for use in a floppy/optical drive, zip disk for use in a zip drive, and tape  
5           for use in a tape drive.



1 11. A method of building a custom software configuration, comprising:  
2 receiving a first request for a first desired software configuration and a second  
3 request for a second desired software configuration, the first desired  
4 software configuration being different than the second desired  
5 software configuration;  
6 identifying at least one baseline configuration corresponding to at least one of  
7 the first desired software configuration and the second desired  
8 software configuration;  
9 comparing the at least one baseline configuration with the first desired  
10 software configuration and the second desired software configuration;  
11 creating a set of changes based on the comparison wherein the set of changes  
12 are suitable for combining with the at least one baseline configuration  
13 to generate the first desired software configuration and the second  
14 desired software configuration, and  
15 storing the at least one baseline configuration and set of changes on a  
16 removable medium, the removable medium suitable for loading the  
17 first desired software configuration and the second desired software  
18 configuration.

1 12. The method as described in claim 11, wherein the first desired software  
2 configuration is loaded on a first information handling system and the second  
3 desired software configuration is loaded on a second information handling  
4 system.

1 13. The method as described in claim 11, wherein the removable medium includes  
2 at least one of a compact disk read-only-memory (CD-ROM), digital versatile  
3 disc (DVD), PC Card for utilization in a PC slot, floppy disk, floppy/optical  
4 disk for use in a floppy/optical drive, zip disk for use in a zip drive, and tape

5 for use in a tape drive.

1 14. The method as described in claim 11, wherein the baseline configuration is  
2 identified through the use of a configuration ID.

1 15. The method as described in claim 11, further comprising a third request for a  
2 third desired software configuration, and when the first software configuration  
3 is more similar to the second software configuration than the third software  
4 configuration, the first software configuration and the second software  
5 configuration are grouped.

TOP SECRET

- 1     16.     A method of building a custom software configuration, comprising:  
2             receiving a first customer order for a first information handling system and a  
3             second customer order for a second information handling system, the  
4             first customer order including a first list of hardware configuration  
5             components and a first list of software configuration components and  
6             the second customer order including second list of hardware  
7             configuration components and a second list of software configuration  
8             components, wherein at least one of the first list of hardware  
9             configuration components is different from the second list of hardware  
10            configuration components and the first list of software configuration  
11            components is different from the second list of software configuration  
12            components; and  
13            storing at least one software configuration on a removable medium, the at  
14            least one software configuration suitable for loading at least one of the  
15            first list of software configuration components and the second list of  
16            software configuration components onto at least one of the first  
17            information handling system and the second information handling  
18            system.
- 1     17.     The method as described in claim 16, wherein the removable medium includes  
2             at least one of a compact disk read-only-memory (CD-ROM), digital versatile  
3             disc (DVD), PC Card for utilization in a PC slot, floppy disk, floppy/optical  
4             disk for use in a floppy/optical drive, zip disk for use in a zip drive, and tape  
5             for use in a tape drive.
- 1     18.     The method as described in claim 16, wherein the software configuration is  
2             identified through the use of a configuration ID.
- 1     19.     The method as described in claim 16, further comprising a third request for a



1 20. A removable medium, comprising:  
2 a software library, including  
3 a first software configuration corresponding to a first customer order  
4 for a first information handling system, the first customer order  
5 including a first list of hardware configuration components and  
6 a first list of software configuration components, the first  
7 software configuration suitable for loading on the first  
8 information handling system; and  
9 a second software configuration corresponding to a second customer  
10 order for a second information handling system, the second  
11 customer order including a second list of hardware  
12 configuration components and a second list of software  
13 configuration components, the second software configuration  
14 suitable for loading on the second information handling  
15 system;  
16 wherein at least one of the first list of hardware configuration  
17 components is different from the second list of hardware  
18 configuration components and the first list of software  
19 configuration components is different from the second list of  
20 software configuration components so that the first software  
21 configuration is unsuitable for loading software configuration  
22 components on the second information handling system.

1 21. The removable medium as described in claim 20, wherein at least one of the  
2 first software configuration and the second software configuration includes at  
3 least one of BIOS settings, CMOS, operating system, drivers, utilities,  
4 application software, vendor software, and user-selected software.

1 22. The removable medium as described in claim 20, wherein the removable

2 medium is suitable for restoring system setting to an information handling  
3 system.

1 23. The removable medium as described in claim 16, wherein the removable  
2 medium includes at least one of a compact disk read-only-memory (CD-  
3 ROM), digital versatile disc (DVD), PC Card for utilization in a PC slot,  
4 floppy disk, floppy/optical disk for use in a floppy/optical drive, zip disk for  
5 use in a zip drive, and tape for use in a tape drive.

09/24/99 04:04  
F040F064E260